

Installation

Installing the OPENTURBO for DB2

Installing on MPE/iX 6.5

Please request for DAT tape media and follow the steps in **Installing from Tapes**

Installing on MPE/iX 7.0 or 7.5

1. Log on as system manager:
: **HELLO MANAGER.SYS**
2. Use Reflection File Transfer function to upload the file "OTDISC" to HP3000 using the LABEL format
3. Restore the tape as follows:
: **File T=OTDISC;Dev=disc**
: **Restore *T;@.@.@;CREATE;SHOW=SHORT**
4. After the file has been restored, execute the command file
: **INSTALL.PUB.IMAXSOFT**

This sets the proper security for the account and groups.

IMAXSOFT account structure:

1. Account access security required:
(R,X:ANY;W,A,L:AC)
2. Account capability required:
AM,AL,GL,ND,SF,BA,IA,MR,DS,PH,PM
3. PUB group access security required:
(R,X:ANY;W,A,L,S:AC)

We will always be there for you.

4. PUB group capability required:
BA,IA,MR,DS,PH,PM

Installing on HP-UX

1. “Root” authority is necessary to restore the server files with correct attributes.
2. Use FTP BINARY to transfer the file `otdisc.tar` using into the directory “/tmp”
3. Issues the command

swinstall -s /tmp/otb.depot OPENTURBO	for ORACLE
swinstall -s /tmp/otbelo.depot OPENTURBO	for Eloquence
swinstall -s /tmp/otbdb2.depot OPENTURBO	for DB2